

Flammability



MATERIAL SAFETY DATA SHEET

GENERAL INFORMATION

PRODUCT NAME OR NUM Valu-Line™ Pull Line	3ER (as it ap	CATALOG NUMBER 31-338, 31-339						
MANUFACTURER'S NAME IDEAL INDUSTRIES, I		EMERGENCY TELEPHONE NO. (815) 895-5181						
ADDRESS (Number, Street, Becker Place, Sycame	ore, IL 601	178						
None	RIPTION, PRO	OPER SHIPPING NAME, HAZARD C		ZARD ID NO. (4	9 CFR 172.	101)		
CHEMICAL DESCRIPTION Polypropylene			FORMULA Proprietary	Proprietary				
		SECTION I - I	NGREDIENTS					
CAS REGISTRY NO.	%W	СНЕМ		Listed as a carcinogen in NTP, I ARC or OSHA 1910(z) (specify)				
9003-07-0	100	Polypropylene	Polypropylene			No		
<u> </u>								
	ļ							
	ļ							
			HYSICAL DATA					
BOILING POINT	=1)	PERCENT VO		ATILE BY VOLUME (%)				
N/A °F SOLUBILITY IN WATER	N/A	PERCENT SO	<1 OLID BY					
Insoluble		pH = N	/Α	WEIGHT (%) ~100				
APPEARANCE AND ODOR		IS MATERIAL: LIQUID SOLD GEL GAS PASTE						
	c	ECTION III - FIRE AND E			G	AS PASTE		
FLASH POINT None	3	method used C.O.C.	FLAMMABLE LIMITS			UEL		
			TEXMIN/ DEE EIMITO	None	9	None		
EXTINGUISHING MEDIA		- · ·						
None SPECIAL FIRE FIGHTING PROCI	<u>Normally F</u> EDURES	Required						
		<u>lse extinauishina media for si</u>	urrounding materials					

UNUSUAL FIRE AND EXPLOSION HAZARDS

Use self-contained breathing apparatus with full face shield

* None of the chemical raw materials contained in this formulation are considered hazardous under the Federal Hazards Communication Standard 29 C. F. R 1910.1200

SECTION IV - HEALTH HAZARD INFORMATION

EFFECTS OF OVEREXPOSURE - Conditions to Avoid									
None									
THRESHOLD LIMIT VALUE									
N/F PRIMARY ROUTES OF ENTRY Inhalation Skin Contact Of Other (specify) Molten polymer causes thermal burns.									
EMERGENCY FIRS									
SKIN CONTACT: For molten polymer cool rapidly with water. Do not attempt to remove from skin. Obtain medical attention for burn EYE CONTACT:									
Flush with water									
Flush with water for 15 minutes SECTION V - REACTIVITY DATA									
	UNSTABLE		CONDITIONS TO AVOID						
STABILITY	STABLE	Х	Dir	ect exp	osure to flame	e or excessive heat.			
INCOMPATIBILITY ((materials to avoid)	Λ							
None HAZARDOUS DECOMPOSITION PRODUCTS:									
Oxides of Carbon									
HAZARDOUS	MAY OCCUR HAZARDOUS		None						
POLYMERIZATION	WILL NOT OCCU	r)	(
			SECTION VI - SPILL AN	ID LE	AK PROCED	DURES			
STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED Sweep up to prevent tripping									
WASTE DISPOSAL		andfill				deral quidelines			
L and fill or incinerate in accordance with local_state and federal quidelines CERCLA (Superfund) REPORTABLE QUANTITY (in lbs)									
RCRA HAZARDOUS	S WASTE NO. (40C	FR 261	,						
VOLATILE ORGANI	C COMPOUND (VC	C) (as	packaged, minus water)						
³ Theoretical	lb/gal NA		N/	A ^a Analyt	ical Ib/gal	N/A			
RESPIRATORY PRO	OTECTION (specify								
LO	CAL EXHAUST (Sp	ecify R	ate) None normally require		SPECIAL	N/A			
VENTILATION	ECHANICAL (Gener	al) (Spe	· · · ·		OTHER	N/A			
PROTECTIVE GLOV	/ES (specify type)		EYE PROTECTION (specify type))					
OTHER PROTECTIV	VE EQUIPMENT				Per compa	ny policy			
			No SECTION VIII - SPE			NS			
PRECAUTIONS TO	BE TAKEN IN HAN	DLING			REGAUIIO				
OTHER PRECAUTIO			Avoid excessive he	eat or o	nen flames				
None									
SECTION IX - ADDITIONAL INFORMATION									
None									
N/A = Not Applicable, N.E. = None Established									
THIS MATERIAL SAFETY DATA SHEET PREPARED BY:									
					ATURE				
TITLE Director, Corporate QA				James R. MacMurdo					
DATE:	DATE: 12/05/2007								
1				1					